Impact of critical illness on ICU family members after a month from discharge

A Phenomenological Study

Francesca Trotta RN, MSN, PhD Student Tor Vergata University of Rome, Italy

Trotta F, Meucci B, Simeone S, Pucciarelli G.





Introduction

01



2. Aim

Understanding how these experiences affect the **Quality of Life** of family members' postdischarge after a month



3. Method

Descriptive Phenomenology

Involves "bracketing" or suspending all prior assumptions to capture the pure essence of the participants' experiences, seeking to describe the experiences of caregivers as they lived them, without imposing our interpretations.

Interpretive Phenomenology

Acknowledges that researchers inevitably bring their own understanding to the analysis, and these interpretations help to uncover deeper meanings embedded in the participants' narratives.

Cohen's Method

Bracketing

Researchers' preconceived notions, biases, and previous knowledge are set aside

Data Collection

In-depth, semi-structured interviews conducted via video calls

Participants Selection

Convenience sampling to recruit 21 participants from a University Hospital in Rome, Italy

Interviews

One month after the patient's discharge. Each interview was recorded and transcribed verbatim

Data Analysis

was iterative and involved constant reflection and dialogue among the research team

Saturation

was achieved, meaning that no new themes or insights were emerging from the interviews

Ensuring Rigour

Triangulation

Involving multiple researchers in the analysis process helped to cross-validate the findings.

Member Checking

Participants were given the opportunity to review and provide feedback on the interpretations of their interviews.

Audit Trial

Detailed records of all research activities were maintained, allowing others to follow the research process and verify the findings.




Single open-ended question

"How has this experience affected your quality of life, specifically in the **psychological**, **cognitive**, and **social** domains?"

4. Findings

Sample Characteristics



Unknown

Helplessness

Family Burden

Sudden Life Change

> (Re)descovering the value of Affections

Themes

Interviews

"The thing that hurts the most is not being able to do anything. It seems that the only thing that can be done is to show up during the time that I am given. It is a sense of helplessness, especially toward my partner for whom I would like to do something, but beyond that I don't know what can be done"



AR, partner

"I live things to the fullest. I don't know how others do it, but I'm not content to say 'life is made this way.' I question a lot about the meaning of life, the deeper meaning. We give importance to so many trifles and then in front of events like these you realize that there are things that are worth much more"




AU, son

A broader implication for critical illness

Despite the challenges, there is room for positive outcomes—where families come together and find strength in their shared experiences





5. Future Implications



Effective Comunication



Family-Centred Care Approach



Tailored Interventions



Do you have any questions?

francesca.trotta.91@gmail.com

